बिहार सरकार स्वास्थ्य विभाग

संकल्प

पटना, दिनांक: 12.5.6:2.2

विषय: COVID-19 के चिकित्सकीय प्रबंधन हेतु स्वास्थ्य एवं परिवार कल्याण मंत्रालय, भारत सरकार द्वारा सुझाये गये औषिधयों को राज्य के आवश्यक औषिधयों की सूची (EDL) में शामिल करने के संबंध में।

स्वास्थ्य एवं परिवार कल्याण मंत्रालय, भारत सरकार के D.O.No. 18-03/2020-DC/COVID-19 दिनांक 16.04.2020 द्वारा COVID-19 के चिकित्सकीय प्रबंधन हेतु आवश्यक औषधियों की उपलब्धता सुनिश्चित करने का अनुरोध किया गया है। स्वास्थ्य एवं परिवार कल्याण मंत्रालय, भारत सरकार द्वारा सुझाए गये औषधियों की अधिप्राप्ति हेतु इन औषधियों को EDL में शामिल किया जाना आवश्यक समझा गया। इसी परिप्रेक्ष्य में दिनांक 02.06.2020 को निदेशक प्रमुख (नर्सिंग), स्वास्थ्य सेवायें, बिहार, पटना की अध्यक्षता में EDL की टेक्निकल कोर किमिट की बैठक राज्य स्वास्थ्य समिति, बिहार में आहुत की गई।

- 2. उक्त बैठक में स्वास्थ्य एवं परिवार कल्याण मंत्रालय, भारत सरकार द्वारा सुझाए गये आवश्यक औषिधयों को राज्य के आवश्यक औषिधयों की सूची (EDL) में शामिल करने के निमित्त EDL की टेक्निकल कोर किमिट के सदस्यों के द्वारा विवेचनोपरांत कितपय अनुशंसाय की गई है।
- 3. EDL की टेक्निकल कोर किमटि की अनुशंसा के आलोक में COVID-19 के प्रबंधन हेतु चिन्हित औषिधयों को निम्नानुसार राज्य के आवश्यक औषिधयों की सूची (EDL) में शामिल करने का निर्णय लिया है :-
- (i) स्वास्थ्य एवं परिवार कल्याण मंत्रालय, भारत सरकार द्वारा COVID-19 प्रबंधन हेतु अनुमोदित औषि Hydroxychloroquine 200mg टैवलेट की आपूर्ति वर्तमान में भारत सरकार द्वारा राज्य सरकार को की जा रही है। अतएव, EDL की टेक्निकल कोर किमिट की अनुशंसा के साथ अनुसूची-IV के क्रम सं० 22 में अंकित Hydroxychloroquine 200 mg टैबलेट को EDL में इस शर्त पर शामिल किया जाता है कि भारत सरकार से इस औषिध की आपूर्ति बाधित होने अथवा नहीं होने अथवा अपरिहार्य स्थित में ही इस औषिध का क्रय BMSICL/स्वास्थ्य संस्थान द्वारा किया जायेगा।
- (ii) (क) स्वास्थ्य एवं परिवार कल्याण मंत्रालय द्वारा COVID-19 के ICU प्रबंधन हेतु सुझाये गये कुल 54 प्रकार की औषधियों में से 34 प्रकार की औषधियाँ पूर्व से ही EDL में शामिल है एवं 6 औषधियाँ ऐसी है जिसका similar composition पूर्व से ही EDL में है। अत: EDL की टेक्निकल कोर किमटि की अनुशंसा के आलोक में इन similar composition वाली औषधियों को COVID-19 के ICU प्रवंधन में भी उपयोग लाया जा सकेगा।
- (ख) स्वास्थ्य एवं परिवार कल्याण मंत्रालय द्वारा COVID-19 के ICU प्रबंधन हेतु सुझाये गये 54 औषधियों में से शेष 14 प्रकार की औषधियाँ ऐसी हैं, जो पूर्व से EDL में शामिल नहीं हैं। अत: EDL की टेक्निकल कोर किमिट की अनुशंसा के साथ संलग्न अनुसूची-III में उल्लिखित 14 प्रकार की ICU प्रवंधन से संबंधित औषधियों को EDL में शामिल किया जाता है।

- (iii) (क) स्वास्थ्य एवं परिवार कल्याण मंत्रालय द्वारा COVID-19 के चिकित्सकीय प्रबंधन हेतु सुझाये गये अन्य 96 औषधियों में से 55 प्रकार की औषधियाँ पूर्व से ही EDL में शामिल है एवं 19 औषधियाँ ऐसी हैं जिसका similar composition पूर्व से ही EDL में है। अत: EDL की टेक्निकल कोर किमिट की अनुशंसा के आलोक में इन similar composition वाली औषधियों को COVID-19 के चिकित्सकीय प्रबंधन में भी उपयोग लाया जा सकेगा।
- (ख) स्वास्थ्य एवं परिवार कल्याण मंत्रालय द्वारा COVID-19 के चिकित्सकीय प्रबंधन हेतु सुझाये गये 96 औषिथयों में शामिल Nitrous Oxide (Anaesthetic Agent) राज्य के चिन्हित स्वास्थ्य संस्थानों में Gas Pipeline layout का कार्य पूर्ण होने के उपरांत EDL की टेक्निकल कोर किमटि की अनुशंसा के आलोक में EDL में शामिल किये जाने का निर्णय लिया जायेगा।
- (ग) स्वास्थ्य एवं परिवार कल्याण मंत्रालय द्वारा COVID-19 के चिकित्सकीय प्रबंधन हेतु सुझाये गये अन्य 96 औषधियों में से शेष 21 प्रकार की औषधियाँ ऐसी है, जो पूर्व से EDL में शामिल नही हैं। अत: EDL की टेक्निकल कोर किमिटि की अनुशंसा के साथ संलग्न अनुसूची-IV में उल्लेखित 21 प्रकार की औषधियों (क्रं॰ सं॰ 01 से 21 तक) को EDL में शामिल किया जाता है।
- 4. टेक्निकल कोर किमिट की अनुशंसा के आलोक में EDL में शामिल किये गये COVID-19 के ICU प्रबंधन से संबंधित औषधियाँ (अनुसूची-III) चिकित्सा महाविद्यालय अस्पताल एवं जिला अस्पताल स्तर पर उपलब्ध रखी जायेगी एवं COVID-19 के चिकित्सकीय प्रबंधन से संबंधित अन्य औषधियाँ (अनुसूची-IV) चिकित्सा महाविद्यालय अस्पताल से प्राथमिक स्वास्थ्य केन्द्र स्तर पर उपलब्ध रखी जायेगी।
- 5. टेक्निकल कोर किमटि की अनुशंसा के आलोक में EDL में शामिल किये गये उपर्युक्त आवश्यक औषधियों का मानक "The standards of quality of drugs included in Essential Drug List (EDL) shall be as set out in the Second Schedule to the Drugs and Cosmetics Act, 1940 and relevant provisions of Drugs and Cosmetics Rules, 1945 thereunder" के अनुरूप रहेगा।
- आदेश आदेश दिया जाता है कि इस संकल्प को बिहार राजपत्र की असाधारण अंक में प्रकाशित किया जाय और इसकी प्रति राज्य स्वास्थ्य समिति, बिहार (SHSB), बिहार चिकित्सा सेवाएँ एवं आधारभूत संरचना निगम लिमिटेड (BMSICL) तथा स्वास्थ्य विभाग के सभी क्षेत्रीय कार्यालयों, सभी जिला पदाधिकारियों, सिविल सर्जनों एवं जिला स्वास्थ्य समितियों को दी जाए।

बिहार राज्यपाल के आदेश से,

(उदय सिंह कुमावत) सरकार के प्रधान सचिव

ज्ञापांक 425 (12) / पटना, दिनांक 12.6-2020 / पटना, दिनांक 12.6-2020 / प्रतिलिपि- ई-गजट शाखा, वित्त विभाग, बिहार, पटना को बिहार राजपत्र के असाधारण अंक में

प्रकाशनार्थ प्रेषित।

सरकार के प्रधान सचिव

ज्ञापांक 425 (N2) / पटना, दिनांक 12.6.2020. प्रतिलिपि-

- कार्यपालक निदेशक, राज्य स्वास्थ्य सिमिति, बिहार, पटना को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।
- प्रबंध निदेशक, बिहार चिकित्सा सेवार्ये एवं आधारभूत संरचना निगम लिमिटेड, पटना को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।
- सभी प्रमंडलीय आयुक्त को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।
- ' सभी जिला पदाधिकारी को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।
- सभी निदेशक प्रमुख, स्वास्थ्य सेवायें को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।
- राज्य औषधि नियंत्रक, बिहार, पटना को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।
- सभी प्राचार्य, अधीक्षक एवं विभागाध्यक्ष, चिकित्सा महाविद्यालय अस्पताल को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।
- सभी क्षेत्रीय अपर निदेशक/सभी असैनिक शल्य चिकित्सक-सह-मुख्य चिकित्सा पदाधिकारी को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।
- सभी निदेशक/अधीक्षक, सरकारी स्वास्थ्य संस्थान/अतिविशिष्ट अस्पताल को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।
- माननीय मंत्री, स्वास्थ्य विभाग, बिहार के आप्त सचिव को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।
- सभी जिला स्वास्थ्य सिमिति को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

 आई०टी० मैनेजर, स्वास्थ्य विभाग, बिहार, पटना को विभागीय वेबसाईट पर अपलोड करने हेतु प्रेषित।

सरकार के प्रधान सचिव

Essential Drugs/required for IGU: Management of COVID-19 as suggested by MoHFW;

""EUVS				ATTENDED	
SINO	Modigue :	Challe and continue to the Carlotte	Doziolom	Spinished Allendaria	Remails
		VA	SOPRESSORS		
1	inj. Noradrenaline 1mg/mi	1 mg/ml	Injection	EDL	Already in EDL
2	Inj. Vasopressin 5mg/ml	5 mg/ml	Injection	NON-EDL	Recommended for inclusion in EDL
3	Inj. Dobutamine 1mg/ml	1 mg/ml	Injection	EDL	Already In EDL
4	Inj.Adrenaline 1mg/ml	1 mg/ml	Injection	EDL	Already in EDL
5	Inj. Atropine Sulphate 1mg/ml	1mg/ml	Injection	EDL	Already in EDL
* 4		rrhythmia drug	S/JEMERGNGYECAF	DIAG DRUGS	
6	Inj. Amiodarone 150mg	150 mg	Injection	EDL	Already in EDL
7	inj. Enalaprilat 1.25mg	1.25 mg	Injection	NON-EDL	Recommended for inclusion in EDL
8	Inj. Labetalol 5mg/ml (10ml)	5mg/ml	Injection	EDL	Already in EDL
		ANAEGESIADRŪGS/	EMERGENGY CAR	DIAG DRUGS	
9	Inj. Midazolam 10mg	10 mg	Injection	EDL	Aiready in EDL
10	Inj. Vecuronium 4mg	4 mg/ml	Injection	EDĹ	Already in EDL
11	Inj. Suxamethonium 50mg/ml	50 mg/ml	Injection	EDL	Already in EDL
12	Inj. Fentanyl 50mcg/ml	50 mcg/ml	Injection	EDL	Already in EDL
nie de la constante de la cons	TO ALL PLANTS OF THE PARTY.	ANTIBIOTICS/	ANTIMICROBIALA	GENTS	
13	In]. Amoxcillin /Clavulinic Acid (500mg/125mg)	inj	Injection	NON-EDL	(Inj. Amoxycillin + Clavulanic acid 1.2 gm) and (Tablet Amoxycillin 500 mg + Clavulanic 125 mg) are already there in EDL, therefore, Inj. Amoxcillin /Clavulinic Acid (500mg/125mg) has not been recommended to be included in EDL
	L.I. Caffeloveno 1 mm	1000 mg	Tablet	EDL	Already in EDL
14	Inj. Ceftriaxone 1gm Inj. Meropenam 1gm	1000 mg vial	Injection	EDL	Already in EDL
15 16	Telcoplanin powder for inj. 400mg	400 mg	Injection	Non-EDL	Recommended for inclusion in EDL
17	Ini. Vancomycin 500mg	500 mg	Injection	EDL	Already in EDL
17	Inj. Ciprofloxacin 500mg	500 mg	Injection	NON-EDL	Ciprofloxacin IV inj 200 mg/100 ml is already there in EDL, therefore, Inj Ciprofloxacin 500 mg has not been recommended to be included in EDL
19	Inj. Levofloxacin 500mg	500 mg	Injection	Non-EDL	Recommended for inclusion in EDI
20	inj, Cefotaxime 1gm	1gm vial	Injection	NON-EDL	Recommended for inclusion in EDI
- 21	inj. Artesunate 120mg	120 mg	Injection	NON-EDL	Recommended for inclusion in ED
22	Inj. Linezolid 600mg	600 mg	Injection	EDL.	Already in EDL
- 23	inj. Clindamycin 600mg	600 mg	Injection	NON-EDL	Recommended for inclusion in ED
	inj. Metronidazole 500mg	500mg	Injection	EDL	Already in EDL

Page 1 of 3 Page 1 of 3 Page 1



100	10:	Senerelture of the s Abdlene	Stewark	विकास काला विकास काला	विभाग्नाम्	Romiks
		Pallantania I Daniel II		lebelleation		
2	(3)	Salbutamol Respiratory Solution Smg	5 mg	Resputes	EDL	Already in EDL
_:	10	Salbutamol/Ipratropium Solution 5mg/500mcg	5 mg + 500 mcg	Respules	NON-EDL	Recommended for Inclusion in EDL
L	•	Formetrol/Budesonide (20mcg/0.5mg)	20 mcg/ 0.5 mg	Respules	NON-EDL	Recommended for inclusion in EDL
		CONTRACTOR DESCRIPTION	A TANKE OF THE PROPERTY OF THE	THER DRUGS		AND THE PROPERTY OF THE PARTY O
L	28	Lignocaine 2% Inj(30ml)	2%	Injection	EDL	Already in EDL
	29	Chlorhexidine mouth wash		Solution	NON-EDL	Recommended for inclusion in EDL with 0.2% w/v
	301 I	Chlorhexidine Skin Preparation		Solution	NON-EDL	Recommended for inclusion in EDL with 2% w/v
		Povidone Iodine 5% w/v	5% \v/v	Solution	EDL	Already In EDL
Γ	32	Hansels FOOD William (Fig. 1)	5000 I.U./ml		50.	Manada In SDI
		Heparin 5000 IU Inj. (5ml)	5 ml	Injection	EDL	Already in EDL
<u>_</u>	33	Inj. Enoxaparin O.6ml	0.6 ml	Injection	EDL	Already in EDL
	34	inj. Tranexamic acid 50mg/ml	50 mg/ml	Injection	NON-EDL	Inj. Tranexamic acid 100 mg/ml is already there in EDL, therefore, inj. Tranexamic acid 50mg/ml has not been recommended to be included in EDL
	35	lnj. Frusemide 10mg/ml(2ml)	10mg/ml	Injection	EDL	Already in EDL
	36	Inj. Hydrocortisone Acetate 100mg	100 mg	Injection	EDL	Already in EDL
	37	lnj. Potassium Chloride 15%(10ml)	15% w/v	Injection	NON-EDL	Potassium Chloride 11.2% is already there in EDL, therefore, Potassium Chloride 15% has not been recommended to be included in EDL
	38	Inj. Sodium Bicarbonate 7.5%	7.5% w/v -	Injection	EDL	Already in EDL
	39	Regular Insulin(100U/ml)	100 IU/ml	Injection	NON-EDL	Inj Soluble insulin (Regular) 40 IU/ml is already there in EDL, therefore, Inj Regular insulin 100 IU/ml has not been recommended to be included in EDL
-	40	Tab. Paracetamol 500mg	500mg	Tablet	EDL	Already in EDL
-	41	Tab. Levocetrizine	5 mg	Injection	EDL	Already in EDL
\vdash	42	Tab. Pantoprazole 40mg	40 mg	Tablet	EDL	Already in EDL
-	43	Tab. Prednisolone 5mg	5mg	Tablet	EDL	Already in EDL
	44	Tab.Cetrizine 10mg	10mg	Tablet	NON-EDL	Levocetirizine 5 mg Tablet is already there in EDL, therefore, Cetrizine 10mg tablet has not been recommended to be included in EDL
	45	Tab. Oseltamivir 75mg	75 mg	Tablet	NON-EDL	Recommended for inclusion in EDL
	46	Tab. Amlodipine Smg	5mg	Tablet	EDL	Already in EDL
	47	Tab: Atenolol 50mg	50mg	Tablet	EDL	Already in EDL
ـا ۔		<u> </u>			1	

nnamice refuse en de

Page 2 of 3 Non AHEAR

	7
$^{\sim}$	
(2)	j

911/6	Nomenclature of the	Strengh	Dosagaio m	EDUSTATUS S	Remails 2 3
		(A)	vite apparation		
48	Inj. Diazepam 5mg/ml(2ml)	5mg/ml	Injection	EDL	Already in EDL
49	Inj. Sodium Valproate	100 mg/ml	Injection	Non-EDL	Recommended for inclusion in EDL
30	Inj. Levetiracetam 500mg	500 mg	Injection	non-EDL	Recommended for inclusion in EDL
			VELUIDS	E E E E	
51	Noramal Saline(NS) Injection	0.9%	Injection	EDL	Already in EDL
52	Ringer's Lactate	500ml	Injection	EDL	Already in EDL
53	Dextrose Normal Saline		Injection	EDL	Dextrose Normal Saline 5% +0.9% injection is already there in EDL.
54	Mannitol 20%(500ml) Injection	20%	Injection	EDL	Mannitol 20% w/v is already in EDL

MWZ

World ANDS

अनुसूची-॥

Essential General Drugs required for Management of COVID-19 as suggested by MoHFW, Gol

Contract of	o version and the second	Dysiv	IOHEW, G	iOl	
SHINO	Nomenclature of the Medicine	, Strength:	Dosage form	EDL Status	Remarks
	Paracetamol Tablot	NON STEROIDAL	ANTENELMIMA	TORY AGENTS	THE RESIDENCE OF THE PARTY OF T
	Taracctanior Tablet	500mg	Tablet	EDL	Already in EDL
2	Ibuprofen Tablet	400mg	Tablet	Non-EDL	Recommended for inclusion in EDL
3	Ibuprofen Tablet	200mg	Tablet	EDL	Already in EDL
4	Paracetamol Syrup	125mg/5ml	Oral Liquid	! EDL	Already in EDL
5	Diclofenac Sodium Tab	50 mg	Tablet	EDL	Already in EDL
1114		ANTER EXPLOYANTIB	ACTERIALIAGE	VTCSH ACCES	
6	Albendazole	400mg	Tablet/ Suspension	EDL	Already in EDL
7	Amoxycillin Cap	500mg	Capsule	EDL	Already in EDL
8	Amoxycillin Syp	125mg/5ml	Syrup	Non-EDL	Amoxycillin + Potassium Clavulanate, Oral Suspension (125 mg +31.25 mg)/5ml is already there in EDL, therefore, Amoxycillin Syp 125 mg/5 ml has not been recommended to be included in EDL
9	Amoxycillin Cap	250mg	Capsule	EDL	Already in EDL
10	Cap Ampicilline	500mg	Capsule	EDL	Already in EDL
11	Ampicillin Injection	500mg	Injection	EDL	Already in EDL
12	Azithromycin	200mg/5ml	Oral Suspension	EDL	Already in EDL
12	Capsule Doxycycline	100mg	Capsule	Non-EDL	Recommended for inclusion in EDL
13	Amoxycillin + Clavulanic	Injection 1.2gm	Injection	EDL	Already in EDL
15	Cefoperazone sulbactum	Injection 1.5gm	Injection	Non-EDL	Recommended for inclusion in EDL
16	Meropenam	Injection 1gm	Injection	EDL	Already in EDL
17	Piperacillin + Tazobactum	Injection 4gm	Injection	Non-EDL	Piperacillin + Tazobactum Injections 1125mg, 2250mg & 4.5gm are already there in EDL, therefore, Piperacillin + Tazobactum Injection 4gm has not been recommended to be included in EDL
18	Ceftrlaxone	Injection 1gm/vial	Injection	EDL	Already in EDL
19	Cephalexin	250 mg	Capsule/ Tablet	Non-EDL	Recommended the capsule form for inclusion in EDL
20	Azithromycin	500mg	Tablet	EDL	Already in EDL
21	Ofloxacin	200mg	Tablet	EDL	Already in EDL
22	Metronidazole	400mg	Tablet	EDL	Already in EDL
23	Amongillin + Clavulanic	500 mg + 125 mg	Capsule	Non-EDL	Amoxycillin + Clavulanic acid Tablet (500 mg+ 125 mg) Tablet is already there in EDL, therefore, Amoxycillin + Clavulanic acid Capsule (500 mg+ 125 mg) has not been recommended to be included in ED
24	Amoxycillin + Clavulanic	125mg+31.25 mg /5ml	Suspension	EDL	Already in EDL
25	Cotrimoxazloe	80 + 400mg	Tablet	EDL	Already in EDL

Harry

1. Jufy

No Sharr

11/60

SIN		omenciature of the	Strangib - Con			
3533	200 BE	Medicine	Strength	Dosage formi	EDUSIALUS	Remarks
2(5 Ce	efixime	100 mg/ ml	Powder for oral suspension	Non-EDL	Cefixime 50 mg (DT) tablet is already there in EDL, therefore, Cefixime Powder for oral suspension 100 mg/ ml has not been recommended to be included in EDL
			TINA SEASON DE LA COMPANIO	EUNGAUDRUG	SPECIAL	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.
		Clotrimazole	Pessarles 500 mg	Tablet	Non-EDL	Recommended for Inclusion in EDL
		luconazole	150 mg	Tablet	EDL	Already In EDL
-			N. SECTION AND ADDRESS OF THE PARTY AND ADDRES	UVIRALDRUGS		建设设施的设施的
$\overline{}$		Acyclovir	400 mg	Tablet '	Non-EDL	Recommended for Inclusion in FDL
_			CARD(C	VASCUVARIOR	UGS	
_		Acetyl Salicylic acid	75 mg	Tablet	EDL	Afready In EDL
-		Amlodipine	5 mg	Tablet	EDL	Already In EDL
-		Enalapril	5 mg	Tablet	Non-EDL	Recommended for Inclusion in CDL
<u> </u>		Frusemide	40mg	Tablet	EDL	Already In EDL
-	34	Methyldopa	250mg	Tablet	EDL	Already in EDL
	35	Hydralazine	Powder for Inj 20mg/amp	Injection	Non-EDL	Recommended for Inclusion in CDL
<u> </u>	36	Atenolol	50mg	Tablet	EDL	Already In CDL
<u> </u>	37	Glyceryl trinitrate	500mcg	Tablet	Non-EDL	Recommended for Inclusion in EDL
\vdash	38	Atropine	1mg/ml	Injection	EDL	Already In EDL
	39	Epinerphrine (adrenaline)	1mg/ml	Injection	EDL	Already in EDL
至			DERM	TOLOGICALDI	UGS	
	40	Povidone lodine	10%, 200ml bottle	Solution	Non-EDL	Povidone lodine 5% is already there in EDL, therefore, Povidone lodine 10% has not been recommended to be included in EDL
	41	Miconazole	2%	Ointment	Non-EDL	Miconazole cream 2% is already there in EDL, therefore, Miconazole ointment 2% has not been recommended to be included in EDL
	42	Silver sulfadiazine, Cream 1%	Tube 50 gm	Cream	EDL	Already In EDL
1	16.		GASTRO:	INTESTINALEME	DICINES	TO SECURE A SECURE ASSESSMENT OF SECURE
	43	Omeprazole	20 mg	Tablet	Non-EDL	Pantoprazole Tab 40 mg and Rabeprazolo Tab 20mg are already there in EDL, therefore, another PPI Omeprazole Tablet 20 mg has not been recommended to be included in EDL
ŀ	44	Domperidone	10mg	Tablet	EDL	Already in EDL
H	45	Ondansetron	4mg	Tablet	Non-EDL	Recommended for Inclusion in EDL
	46	Antacid (Al-hydroxide +		Tablet	EDL	Already in EDL
. }	47	Dicyclomine	10mg	Tablet	EDL	Already in EDL
. }		i Dicyclottinic	ANTHABERGICIMED			LAXISTAN
	48	Cetrizine Hydrochloride		Tablet	Non-EDL	Levo-Cetirizine Tablet 5 mg is already there in EDL, therefore, Cetrizine Hydrochloride 10mg Tablet has not been recommended to be included in EDL
	49	Pheniramine Maleate	22.75 mg/ml	Injection	EDL	Already In EDL
		Hydrocortisone (as		Powder fo	r 501	Algorithe In EDI
	50	sodium succinate) Prednisolone	100 mg	Injection Tablet	EDL	Already in EDL Already in EDL

Page 2 of 4

Already in EDL

Already in EDL

SING	eNomendature of their		200 marine (marine)		
	A Medicine	Signi	<u> १</u>	Commence of the Contract of th	Remarks
		MEDICINES	FORRESPIRATO	RYSTRACTORS	
52	Salbutamol	4 mg	Tab!et	Non-EDL	Levo Salbutamol Tablet 2 mg is already there in EDL, therefore, Salbutamol Tablet
					4 mg has not been recommended to be
53	Salbutamol Inhaler	100mcg/dose	inhaler	Non-EDL	included in EDL Recommended for inclusion in EDL
54	Beclomethasone Inhaler	100mcg/dose	Inhaler	Non-EDL	Recommended for inclusion in EDL
55	Etofylline + Theophylline	Tab (\$4.3 mg + 25.3 mg)	! Tablet	Non-EDL	Etophyllin 115 mg +theophyllin 35 mg prolonged release tablet is already there in EDL, therefore, Etophyllin +Theophyllin 84.3+25.3 mg has not been recomended to be included in EDL
5.5	Carbana		JESANTS/ANTIE	PILEPTICS TO SE	
56	Carbamazepine Sodium Valproate	200 mg	Tablet	EDL	Already in EDL
58	Phenytoin Sodium	200mg	Tablet	EDL COL	Already in EDL
59	Diszepam	50mg/ml 5 mg/ml	Injection	Non-EDL EDL	Recommended for inclusion in EDL
60	Magnesium Sulfate	500 mg/ml	Injection Injection	EDL	Already in EDL Already in EDL
1	NAMES OF PERSONS	HORMONES OTHER ENDOC	RINEMEDICINE	S'AND CONTRA	CERTIVES
51	Inj Intermediate-acting insulin	100 IU/mL(Cold chain) 10ml/vial	Injection	Non-EDL	An intermediate-acting insulin (Biphasic isophane Insulin Injection) is already there in EDL, therefore, Inj Intermediate-acting insulin 100 IU/mL has not been recommended to be included in EDL
62	lnj Soluble insulin	100 IU/ml (Cold chain) 10ml/vial	Injection	Non-EDL	Inj Scluble insulin (Regular) 40 IU/ml is already there in EDL, therefore, Inj Soluble insulin 100 IU/ml has not been recommended to be included in EDL
63	Metformin	500mg	Tablet	EDL	Already in EDL
64	Glimepride	2 mg	Tablet	EDL	Already in EDL
65	Thyroxine	50 mcg	Tablet	EDL	Already in EDL
36030		C MEDICINES		EBLOOD:	
65	Folic Acid	5 mg	Tablet	Non-EDL	Recommended for inclusion in EDL
67	Heparin sodium	5000 IU/ml, 5 ml Vial	Injection	EDL	Already in EDL Already in EDL
68	Misoprostol Oxytocin	200 mcg Injection 10 IU/ml	Tablet Injection	Non-EDL	Oxytocin 5 IU/ml is already there in EDL, therefore, oxytocin 10 IU/ml has not been recommended to be included in EDL
2010		AND			
70	Biperiden	2 mg	Tablets Tablet	Non-EDL Non-EDL	Recommended for inclusion in EDL Recommended for inclusion in EDL
71	Diazepam Fluoxetine	5 mg	Tablet	Non-EDL	Fluoxetine Capsule 20 mg is already there in EDL, therefore, Fluoxetine Tablet 20 mg has not been recommended to be included in EDL
73	Haloperidol	5mg/ml	Injection	EDL	Already in EDL
. 74	Haloperidol	≥ 5 mg = r	Tablet	EDL	Already in EDL
75	ORS (Oral Rehydration Salts)	As per IP	Powder	EDL	Already in EDL
76	Zinc sulfate	20 mg	Dispersible Tablet	EDL	Already in EDL
			ELEGIROLYTES	AND ACID BAS	E DISTURBANGES Alcoadu in EDI
77	Ringer's Lactate	500 ml	Infusion	EDL a	Already in EDL

topy Inde

1. HA

翻讀	a Nomentiature of the	PARTY AND S	Parti.		A THE PERSON NAMED OF THE
	Meulelije	Sugnan	Dosage (drm	EDUSTATUS	Remarks
7B	Glu.ose 5%	5% 500 ml	Infusion	Non-EDL	Dextrose 5% w/v Inj is already there in EDL. Therefore, Glucose 5% w/v Injectio has not been recommended to be Included in EDL.
19	Sodium Chloride	0.9% Isotonic	Injection	EDL	Already in EDL
		VITAM			C STOCK BOOK OF THE STATE OF
nu	Ferrous Sulfate + Folic Acid	200 mg + 0.4 mg	Tablet	Non-EDL	Recommended for inclusion in EDL
81	Vitamin & Complex	Thiamine Mononitrate IP 10.0 mg + Riboflavin IP 10.0 mg + Pyridoxine HCL IP 3.0mg + Vit. B12 IP 15.0mcg + Niacinamide IP 100.0mg + Calcium Pantothenate USP 50mg + Folic Acid IP 1.5mg + Biotin USP 100.0mcg + Ascorbic Acid IP 150.0mg capsule		Non-EDL	Vitamin B Complex, as such, has been recommended by Gol. Therefore, the Core Committee decided the composition of Vitamin B Complex as cited in Column 3 (Strength) to be included in EDL. It is to be noted that this composition has been approved by CDSCO in 2009.
132	Calcium + Vit D3	500 mg + 250 IU	Tablet	EDL	Already in EDL
มว	Ascurbic Acid	250 mg	Tablet	Non-EDL	Ascorbic acid tablet 500 mg is already there in EDL, therefore, Ascorbic acid tablet 250 mg Tablet has not been recommended to be included in EDL
No. To State		ANAESTHE	TIC/ANALGESIC	AGENTS	THE RESIDENCE OF THE PARTY OF T
84	Nitrous Oxide	ANAESTHE	Inhalation	Non EDI	Not recommended to be included in EDL.
390223568	Nitrous Oxide Oxygen	Inhalation Inhalation	Inhalation Inhalation	Non-EDL EDL	Not recommended to be included in EDL. Already in EDL
84	Nitrous Oxide Oxygen Morphine	inhalation inhalation 10mg/ml	Inhalation Inhalation Injection	Non-EDL EDL EDL	Not recommended to be included in EDL. Already in EDL Already in EDL
84 85 86 87	Nitrous Oxide Oxygen Morphine Retamine	inhalation inhalation 10mg/ml 10mg/ml	Inhalation Inhalation Injection Injection	Non-EDL EDL EDL	Not recommended to be included in EDL. Already in EDL Already in EDL Already in EDL
84 85 86 87 88	Nitrous Oxide Oxygen Morphine Retamine Udocaine	inhalation inhalation 10mg/ml 10mg/ml 1% w/v	Inhalation Inhalation Injection Injection Injection	Non-EDL EDL EDL	Not recommended to be included in EDL. Already in EDL Already in EDL
84 85 86 87 88 89	Nitrous Oxide Oxygen Morphine Retainine Udocaine Thiopentone sodium Lignocaine Hydrochieride	Inhalation Inhalation 10mg/ml 10mg/ml 1% w/v 1 gm 2-5% Topical forms	Inhalation Inhalation Injection Injection Injection Injection	Non-EDL EDL EDL EDL Non-EDL Non-EDL	Not recommended to be included in EDL. Already in EDL Already in EDL Already in EDL Already in EDL Recommended for inclusion in EDL Lignocaine Hydrochloride Jelly 2% is already there in EDL, therefore, other strengths of Lignocaine Hydrochloride topical forms have not been recommended to be included in EDL
84 85 86 87 88 89	Nitrous Oxide Oxygen Morphine Retainine Udocaine Thiopentone sodium Lignocaine Hydrochieride	Inhalation Inhalation 10mg/ml 10mg/ml 1% w/v 1 gm 2-5% Topical forms	Inhalation Inhalation Injection Injection Injection Injection	Non-EDL EDL EDL EDL Non-EDL Non-EDL	Not recommended to be included in EDL. Already in EDL Already in EDL Already in EDL Already in EDL Recommended for inclusion in EDL Lignocaine Hydrochloride Jelly 2% is already there in EDL, therefore, other strengths of Lignocaine Hydrochloride topical forms have not been recommended to be included in EDL
84 85 86 87 88 89	Nitrous Oxide Oxygen Morphine Retainine Udocaine Thiopentone sodium Lignocaine Hydrochieride	inhalation inhalation 10mg/mi 10mg/ml 1% w/v 1 gm	Inhalation Inhalation Inhalation Injection Injection Injection Injection Injection Injection	Non-EDL EDL EDL EDL Non-EDL Non-EDL	Not recommended to be included in EDL. Already in EDL Already in EDL Already in EDL Already in EDL Recommended for inclusion in EDL Lignocaine Hydrochloride Jelly 2% is already there in EDL, therefore, other strengths of Lignocaine Hydrochloride topical forms have not been recommended to be included in EDL
84 85 86 87 88 89	Nitrous Oxide Oxygen Morphine Retainine Udocaine Thiopentone sodium Ugnocaine Hydrochloride	Inhalation Inhalation IOmg/ml 10mg/ml 1% w/v 1 gm 2-5% Topical forms	Inhalation Inhalation Injection Injection Injection Injection Injection	Non-EDL EDL EDL EDL Non-EDL Non-EDL	Not recommended to be included in EDL. Already in EDL Ecommended for inclusion in EDL Lignocaine Hydrochloride Jelly 2% is already there in EDL, therefore, other strengths of Lignocaine Hydrochloride topical forms have not been recommended to be included in EDL Activated charcoal powder is already there in EDL, therefore, Activated charcoal Tablet 250 mg has not been
84 85 86 87 88 89	Nitrous Oxide Oxygen Morphine Retainine Udocaine Thiopentone sodium Lignocaine Hydrochloride Activated Charcoal	Inhalation Inhalation IOmg/mi IOmg/ml I% w/v I gm 2-5% Topical forms M Oral Tablet 250 mg	Inhalation Inhalation Injection	Non-EDL EDL EDL EDL Non-EDL Non-EDL	Not recommended to be included in EDL. Already in EDL Recommended for inclusion in EDL Lignocaine Hydrochloride Jelly 2% is already there in EDL, therefore, other strengths of Lignocaine Hydrochloride topical forms have not been recommended to be included in EDL Activated charcoal powder is already there in EDL, therefore, Activated charcoal Tablet 250 mg has not been recommended to be included in EDL Already in EDL Already in EDL
84 85 86 87 88 89 90	Nitrous Oxide Oxygen Morphine Ketamine Udocaine Thiopentone sodium Lignocaine Hydrochloride Activated Charcoal Specific Antisnake Venom	Inhalation Inhalation 10mg/mi 10mg/ml 1% w/v 1 gm 2-5% Topical forms M Oral Tablet 250 mg 10ml 100mg/ml 1 ml/vial	Inhalation Inhalation Injection	Non-EDL EDL EDL EDL Non-EDL Non-EDL	Not recommended to be included in EDL. Already in EDL Already in EDL Already in EDL Already in EDL Recommended for inclusion in EDL Lignocaine Hydrochloride Jelly 2% is already there in EDL, therefore, other strengths of Lignocaine Hydrochloride topical forms have not been recommended to be included in EDL Activated charcoal powder is already there in EDL, therefore, Activated charcoal Tablet 250 mg has not been recommended to be included in EDL Already in EDL Already in EDL Anti Rabies Vaccine 2.5 IU is already there in EDL, therefore, Anti Rabies Vaccine 1 mg/ml Inj has not been recommended to be included in EDL
84 85 86 87 88 89 90	Nitrous Oxide Oxygen Morphine Retainine Udocaine Thiopentone sodium Lignocaine Hydrochloride Activated Charcoal Specific Antisnake Venom Calcium Gluconate	Inhalation Inhalation IOmg/mi 10mg/mi 10mg/ml 1% w/v 1 gm 2-5% Topical forms M Oral Tablet 250 mg 10ml 100mg/mi	Inhalation Inhalation Injection	Non-EDL EDL EDL Non-EDL Non-EDL EDL EDL EDL EDL	Not recommended to be included in EDL. Already in EDL Already in EDL Already in EDL Already in EDL Recommended for inclusion in EDL Lignocaine Hydrochloride Jelly 2% is already there in EDL, therefore, other strengths of Lignocaine Hydrochloride topical forms have not been recommended to be included in EDL Activated charcoal powder is already there in EDL, therefore, Activated charcoal Tablet 250 mg has not been recommended to be included in EDL Already in EDL Already in EDL Anti Rabies Vaccine 2.5 IU is already there in EDL, therefore, Anti Rabies Vaccine 1 mg/ml Inj has not been

MoHFW, Gol Suggested Drugs for ICU Management of COVID-19 Patients recommended for inclusion in EDL

1111111	Nomenclature of the	Seriorennes			in distance
SI No.	Medicine and	Strength 13	Dosage forms	EDL Status	Remarks Que
30.00		V. Salaka Salaka V	SOPRESSORS		
ı	Inj. Vasopressin 5mg/ml	5 mg/ml	Injection	NON-EDL	Recommended for Inclusion in EDL
學是是	THE RESIDENCE OF THE PARTY OF T	ARRHYTHMIA'DRUG	SEEMERGNCY CAL	RDIAC DRUGS	
2 .	Inj. Enalaprilat 1.25mg	1.25 mg	Injection	NON-EDL	Recommended for inclusion in EDL
1		ANTIBIOTICS	ANTIMICROBIAEA	GENTS TO THE	
3	Teicoplanin powder for inj. 400mg	400 mg	Injection -	Non-EDL	Recommended for inclusion in EDL
4	Inj. Levofloxacin 500mg	500 mg	Injection	Non-EDL	Recommended for inclusion in EDL
5	Inj. Cefotaxime 1gm	1gm vial	Injection	NON-EDL	Recommended for inclusion in EDL
5	Inj. Artesunate 120mg	120 mg	Injection	NON-EDL	Recommended for inclusion in EDL
7	Inj. Clindamycin 600mg	600 mg	Injection	NON-EDL	Recommended for inclusion in EDL
			lebullsatlon 💮 💮		
8	Salbutamol/ipratropium Solution Smg/500mcg	5 mg + 500 mcg	Respules		Recommended for inclusion in EDL
9	Formetrol/Budesonide (20mcg/0.5mg)	20 mcg/ 0.5 mg	Respules		Recommended for inclusion in EDL
	NOTE: STREET,	TO SELECTION OF THE PARTY OF TH	HER DRUGS	warening the	
10	Chlorhexidine mouth wash		Solution	NON-EDL	Recommended for inclusion in EDL with 0.2% w/v
11	Chlorhexidine Skin Preparation		Solution	NON-EDL	Recommended for inclusion in EDL with 2% w/v
12	Tab. Oseltamivir 75mg	75 mg	Tablet	NON-EDL	Recommended for inclusion in EDL
		AN AN AN	TI EPILEPTIC V		And the second of the second o
13	inj. Sodium Valproate 100mg/ml	100 mg/ml	Injection	Non-EDL	Recommended for inclusion in EDL
14	Inj. Levetiracetam 500mg	500 mg	Injection	non-EDL	Recommended for inclusion in EDL
	<u></u>				

अनुसूची-।।

	Montw, Gol Su	ggested Essential			<u>अनुसूचा-।V</u> lanagement of COVID-19
		Pation Lasellilal (eneral Dr	ugs for M	lanagement of COVID-19
SI N	Nomenclature of the	O.C. Street, S	THE COLOR	HUSION	in EDL
3114	Medicine	A CONTRACTOR OF THE SECOND PROPERTY OF THE SE		- 1	
		The state of the s	Dosage torn	EDL Status	Remarks
1	Ibuprofen Tablet	THOMSTEROIDAD	ANTINFLIMMA:	ORY/AGENTS	
148		400mg	Tablet	Non-EDL	Recommended for inclusion in EDL
2	Capsule Doxycyclina	ANTI	ACTERIALAGEN	TSTATISTICS	
- 1	Cefoperazone	100mg	Capsule	Non-EDL	Recommended for inclusion in EDL
3	sulbactum	Injection 1.5gm	Injection	Non-EDL	Recommended for inclusion in EDL
4	Cephalexin	250 mg	Capsule/ Tablet	Non-EDL	Recommended the capsule form for inclusion in EDL
2.30		ANTI	FUNGAL DRUGS	The second second	
5	Clotrimazole	Pessaries 500 mg	Tablet	Non-EDL	Recommended for inclusion in EDL
		AND SEANT	LVIRAL DRUGS	- 1 To 1 To 1	
6	Acyclovir	400 mg	Tablet	Non-EDL	Recommended for inclusion in EDL
		CARDIO	VASCULAR DRU	55 M	THE RESERVE OF THE PARTY OF THE
7	Enalapril	5 mg	Tablet	Non-EDL	Recommended for inclusion in EDL
8	Hydralazine	Powder for Inj 20mg/amp	Injection	Non-EDL	Recommended for inclusion in EDL
9	Glyceryl trinitrate	500mcg	Tablet	Non-EDL	Recommended for inclusion in EDL
7373		GASTRO-IN	TESTINALMEDIC	INES	
10	Ondansetron	4mg	Tablet	l Non-EDL	Recommended for inclusion in EUL
1		MEDICINES	OR RESPIRATORY	TRACT	COMPANY OF THE PROPERTY OF THE PERSON OF THE
11	Salbutamol Inhaler	100mcg/dose	inhaler	Non-EDL	Recommended for inclusion in EDL
12	Beclomethasone Inhale	er 100mcg/dose	Inhaier	Non-EDL	Recommended for inclusion in EDL
4		ANTICONVUL	SANTS/ANTIEPIL	EPTICS TO THE	的。由于199 年的中央的中央的
13	Phonytoin Sodium	50mg/ml	Injection	Non-EDL	Recommended for inclusion in EDL
Confession		MEDICINES A	EFECTING THE B	LOOD!	mercure and the state of the st
14	Folic Acid	5 mg	Tablet	Non-EDL	Recommended for inclusion in EDL
STATE OF		ANTIAN	XIETY MEDICINE	5	
15	Biperiden	2 mg	Tablets	Non-EDL	Recommended for inclusion in EDL
16	Diazepam	5 mg	Tablet	Non-EDL	Recommended for inclusion in EDL
24.00	The Marian Selection	VITAMINE	S AND MINERA	LS	ervaraterialist.
17	Ferrous Sulfate + Folic Acid	200 mg + 0.4 mg	Tablet	Non-EDL	Recommended for inclusion in EDL
18	Vitamin 8 Complex	Thiamine Mononitrate IP 10.0 mg + Riboflavin IP 10.0mg + Pyridoxine HCL IP 3.0mg + Vit. B12 IP 15.0mcg + Niacinamide IP 100.0mg + Calcium Pantothenate USP 50mg + Folic Acid IP 1.5mg + Biotin USP 100.0mcg + Ascorbic Acid IP 150.0mg capsule	Capsule	Non-EDL	Vitamin B Complex, as such, has been recommended by Gol. Therefore, the Core Committee decided the composition of Vitamin B Complex as cited in Column (Strength) to be included in EDL. It is to be noted that this composition has been approved by CDSCO in 2009.
		ANAESTHETIG		ENTS	WITTEN HEATTH THE WAY
19	Thlopentone sodium	1 gm	Injection	Non-EDL	Recommended for inclusion in EDL
17		MISC	ELLANEOUS	ALC: UK	
20	Anti Rabies serum	Inj 5000IU/2ml	Injection	Non-EDL	Recommended for inclusion in EDL
21.	Ciprofloxacin	0.30%	Eye/Ear Drop	Non-EDL	Recommended for inclusion in EDL
C 7.1966		AD AND THE RESERVE AND THE RES	DITIONAL	the con-	THE STATE OF THE S
22	Hydroxychloroquine	200mg	Tablet	Non-EDL	Recommended for Inclusion in EDL
			2/1		8. Vall

anh

Wholy

Or hir

1.4013