Government of West Bengal Health & Family Welfare Department Swasthya Bhavan, 3<sup>rd</sup> Floor GN-29, Sector-V, Bidhannagar Kolkata – 700 091

No. H&FW/147/20

April 28, 2020

## **ORDER**

The Ministry of Health & Family Welfare, Government of India has now issued new Guidelines For Home Isolation of very mild/pre-symtomatic COVID-19 cases, a copy of which is enclosed for ready reference.

It allows suspects (awaiting test results) as well as very mild/presymtomatic patients to be assigned to home quarantine/self isolation at home provided such a patient has a requisite facility at his/her residence.

Accordingly, this Department's Advisory issued vide No. HFW/146/20 dated 27.04.2020 should be implemented in the light of the GOI's detailed guidelines enclosed.

(Vivek Kumar) Principal Secretary

Enclo: as stated

# Government of India Ministry of Health & Family Welfare

#### Guidelines for Home Isolation of very mild/pre-symptomatic COVID-19 cases

#### 1. Scope

The present guidelines are in addition to guidelines on appropriate management of suspect/confirmed case of COVID-19 issued by MoHFW on 7<sup>th</sup> April, 2020. All suspected (awaiting test results) and confirmed cases of COVID-19 disease are currently being isolated and managed in a hospital setting with the intent to break the chain of transmission.

As per existing guidelines, during the containment phase the patients should be clinically assigned as very mild/mild, moderate or severe and accordingly admitted to (i) COVID Care Center, (ii) Dedicated COVID Health Center or (iii) Dedicated COVID Hospital respectively. However, very mild/presymptomatic patients having the requisite facility at his/her residence for self-isolation will have the option for home isolation.

#### 2. Eligibility for home isolation

- i. The person should be clinically assigned as a very mild case/ pre-symptomatic case by the treating medical officer.
- ii. Such cases should have the requisite facility at their residence for self-isolation and also for quarantining the family contacts.
- iii. A care giver should be available to provide care on 24 x7 basis. A communication link between the caregiver and hospital is a prerequisite for the entire duration of home isolation.
- iv. The care giver and all close contacts of such cases should take Hydroxychloroquine prophylaxis as per protocol and as prescribed by the treating medical officer.
- v. Download Arogya Setu App on mobile (available at: https://www.mygov.in/aarogya-setu-app/) and it should remain active at all times (through Bluetooth and Wi-Fi)
- vi. The patient shall agree to monitor his health and regularly inform his health status to the District Surveillance Officer for further follow up by the surveillance teams.
- vii. The patient will fill in an undertaking on self-isolation (Annexure I) and shall follow home quarantine guidelines. Such individual shall be eligible for home isolation.
- viii. In addition to the guidelines on home-quarantine available at:
  https://www.mohfw.gov.in/pdf/Guidelinesforhomequarantine.pdf, the required instructions for
  the care giver and the patient as in Annexure II shall be also followed.

#### 3. When to seek medical attention

Patient / Care giver will keep monitoring their health. Immediate medical attention must be sought if serious signs or symptoms develop. These could include

- (i) Difficulty in breathing,
- (ii) Persistent pain/pressure in the chest,
- (iii) Mental confusion or inability to arouse,
- (iv) Developing bluish discolorations of lips/face and
- (v) As advised by treating medical officer

#### 4. When to discontinue home isolation

Patients under home isolation will end home isolation if symptoms are clinically resolved and the surveillance medical officer certifies him to be free of infection after laboratory testing

## Annexure I

## Undertaking on self-isolation

I		S/W	of	,	resident	of
		being d	iagnosed as	a confirmed/suspect case	of COVID-19	, do
her	eby voluntarily undertake to	maintain s	strict self-is	olation at all times for the	prescribed pe	riod.
Du	ring this period I shall moni	tor my hea	alth and the	ose around me and interact	with the assign	gned
sur	veillance team/with the call co	enter (1075	), in case I	suffer from any deteriorating	g symptoms or	any
of 1	my close family contacts deve	lops any sy	mptoms co	nsistent with COVID-19.		
I h	ave been explained in detail	about the	precautions	that I need to follow while	e I am under	self-
iso	lation.					
I aı	m liable to be acted on under t	he prescrib	ed law for a	any non-adherence to self-iso	lation protoco	d.
				Signature		
				Date		
				Contact Numbe	r	

#### Instructions for care-givers

- Mask: The caregiver should wear a triple layer medical mask appropriately when in the same room with the ill person. Front portion of the mask should not be touched or handled during use. If the mask gets wet or dirty with secretions, it must be changed immediately. Discard the mask after use and perform hand hygiene after disposal of the mask.
- He/she should avoid touching own face, nose or mouth.
- Hand hygiene must be ensured following contact with ill person or his immediate environment.
- Hand hygiene should also be practiced before and after preparing food, before eating, after using the toilet, and whenever hands look dirty. Use soap and water for hand washing at least for 40 seconds. Alcohol-based hand rub can be used, if hands are not visibly soiled.
- After using soap and water, use of disposable paper towels to dry hands is desirable. If not available, use dedicated clean cloth towels and replace them when they become wet.
- Exposure to patient: Avoid direct contact with body fluids of the patient, particularly oral or respiratory secretions. Use disposable gloves while handling the patient. Perform hand hygiene before and after removing gloves.
- Avoid exposure to potentially contaminated items in his immediate environment (e.g. avoid sharing cigarettes, eating utensils, dishes, drinks, used towels or bed linen).
- Food must be provided to the patient in his room
- Utensils and dishes used by the patient should be cleaned with soap/detergent and water wearing gloves. The utensils and dishes may be re-used. Clean hands after taking off gloves or handling used items.
- Use triple layer medical mask and disposable gloves while cleaning or handling surfaces, clothing or linen used by the patient. Perform hand hygiene before and after removing gloves.
- The care giver will make sure that the patient follows the prescribed treatment.
- The care giver and all close contact will self-monitor their health with daily temperature monitoring and report promptly if they develop any symptom suggestive of COVID-19 (fever/cough/difficulty in breathing)

#### Instructions for the patient

- Patient should at all times use triple layer medical mask. Discard mask after 8 hours of use or earlier if they become wet or visibly soiled.
- Mask should be discarded only after disinfecting it with 1% Sodium Hypo-chlorite.
- Patient must stay in the identified room and away from other people in home, especially elderlies and those with co-morbid conditions like hypertension, cardiovascular disease, renal disease etc.
- Patient must take rest and drink lot of fluids to maintain adequate hydration
- Follow respiratory etiquettes all the time.
- Hands must be washed often with soap and water for at least 40 seconds or clean with alcohol based sanitizer.
- Don't share personal items with other people.
- Clean surfaces in the room that are touched often (tabletops, door knobs, handles, etc) with 1% hypochlorite solution.
- The patient must strictly follow the physician's instructions and medication advice.
- The patient will self-monitor his/her health with daily temperature monitoring and report promptly if develops any deterioration of symptom as detailed below.

Government of West Bengal Health & Family Welfare Department Swasthya Bhavan, 3<sup>rd</sup> Floor GN-29, Sector-V, Bidhannagar Kolkata – 700 091

No. H&FW/146/20

April 27, 2020

## ORDER

It is hereby advised that from now on, the primary/secondary contacts of COVID positive cases and who have reasonable living/physical spaces in their homes, may be put under home quarantine instead of institutional quarantine, with the necessary advice on social and physical distancing, use of masks, and other dos and don'ts. Even in home quarantine, the persons concerned will be under close surveillance of the local health authorities and their health status will be monitored closely, for appropriate interventions as may be necessary.

It is clarified that this does not apply to COVID positive cases who are mandatorily to be brought to the designated COVID hospital.

(Vivek Kumar) Principal Secretary